



LANDICE

INTERNATIONAL TREADMILLS

**SUPERIOR STRENGTH
AND DURABILITY**

Our treadmills have been placed in the most demanding commercial environments around the world, where our fitness equipment has proven its strength and endurance. When using a Landice treadmill, you can be confident of its long-lasting and reliable performance. Landice treadmills have been consistently rated #1.

INTERNATIONAL WARRANTY

5-year parts
2-year wear items

EXPERT CRAFTSMANSHIP SINCE 1967

A SMOOTH RIDE

Landice is the industry leader in treadmill shock absorption. Our standard **VFX Shock Absorption System** provides optimum comfort while reducing impact on your joints. It is 5 times softer than running on grass and great for runners and walkers seeking impact reduction.

THE FINEST TREADMILLS

Landice built its reputation on the quality and craftsmanship of its treadmills. Since 1967, we have continuously engineered the most innovative and durable fitness products for the industry, in the USA.

CLUB

Designed specifically for high-volume usage in health club settings, the Club treadmills are ideal for walkers, joggers and serious runners alike. An aluminum frame and whisper quiet 4 HP continuous duty motor are just some of the features found on the Club series. The L7 offers one of the lowest step-up heights in the industry while the L9 accommodates users over 1.8 meters (6 feet) tall with a spacious running surface.




THE BENCHMARK FOR FITNESS

TREADMILL FRAME COMPARISON

Solid aluminium construction - rust-free and durable

	L9 CLUB	L7 CLUB
Warranty	5-year parts, 2-year wear items, 90-day high-wear items	5-year parts, 2-year wear items, 90-day high-wear items
User Capacity	226.8 kgs. (500 lbs.)	181.44 kgs. (400 lbs.)
Equipment Weight	138.35 kgs. (305 lbs.)	120.20 kgs. (265 lbs.)
Dimensions	88.90 cm x 210.82 x 154.94 (35" W x 83" L x 61" H)	88.90 cm x 193.04 x 149.86 (35" W x 76" L x 59" H)
Running Surface	55.88 cm x 160.02 cm (22" W x 63" L)	50.80 cm x 147.32 cm (20" W x 58" L)
Power	110 VAC, 50/60Hz, 15A (optional) 220 VAC, 50/60Hz, 15A (standard)	110 VAC, 50/60Hz, 15A (optional) 220 VAC, 50/60Hz, 15A (standard)
Roller	8.89 cm 9.98 kgs. (3 1/2" 22 lbs.)	6.35 cm 6.35 kgs. (2 1/2" 14 lbs.)
Step-up Height	19.05 cm (7 1/2")	13.97 cm (5 1/2")
Speed	0.8 to 17.7 kph (0.5 to 11 mph)	0.8 to 17.7 kph (0.5 to 11 mph)
Incline	0% to 15 %	0% to 15 %
Drive System	4 HP Continuous duty motor	4 HP Continuous duty motor
Deck	2.54 cm (1") - reversible	2.54 cm (1") - reversible
Control Panels	Pro Trainer Pro Sports Cardio Executive	Pro Trainer Pro Sports Cardio Executive



INTERNATIONAL WARRANTY

Landice offers a 5-year parts warranty which is valid for all applications including residential, light commercial, health clubs and pay-for-membership facilities.

High-wear items (headphone jack and USB port) carry a 90-day warranty against defects in material and workmanship. Wear items, specifically treadbelts and decks, carry a 2-year warranty.

TREADMILL PANEL OPTIONS

PRO TRAINER



Display	LED
Programs	5 Built-in programs 2 User-defined programs
Keypad	N/A
Heart Rate	Optional contact heart rate
Warranty	5-year parts

PRO SPORTS



Display	LCD
Programs	5 Built-in programs 5 User-defined programs
Keypad	Numeric keypad
Heart Rate	Optional contact heart rate
Warranty	5-year parts

CARDIO



Display	LCD
Programs	13 Built-in programs 7 User-defined programs
Keypad	Numeric keypad
Heart Rate	Contact heart rate
Statistics	QR codes to export exercise statistics
Warranty	5-year parts

EXECUTIVE



Display	Touch screen
Programs	21 Built-in programs 10 User-defined programs
Keypad	Numeric keypad
Heart Rate	Contact heart rate
Statistics	QR codes to export exercise statistics
Warranty	3-year parts

Landice engineers, assembles and tests the finest specialty fitness equipment on the market and is one of the only manufacturers to do so in the USA. Landice has been recognized repeatedly by leading consumer rating publications as having the world's finest treadmills.

To review additional treadmill options please visit us at www.landice.com.

